

| <b>POPLAR</b>  |                     |  |   |   |     |
|----------------|---------------------|--|---|---|-----|
| Species        | Product             | Specifications   | Roadside (\$)                             |   | Buy |
|                |                     |  | CORDS                                     | TONNES                                    |     |
| Poplar         | Studwood            | Min. top – 7”<br>Max butt- 20”<br>Length 8’3” – 8’6”<br>1” sweep on 7”-8” wood. 4” above 8”  | <del>\$52.64-</del><br><del>\$90.12</del> | <del>\$26.72-</del><br><del>\$45.74</del> | N   |
|                | Pulpwood            | Min top – 3” (inside bark)<br>Max butt – 25” (inside bark)<br>Length: Min – 7’ – Max 8.5’  | \$86.20-<br>\$88.70                       | \$43.76-<br>\$45.03                       | Y   |
|                |                     | Min top – 4”<br>Max butt – 25”<br>Length: 8’ ± 3” Rot not to exceed half the diameter  | <del>N/A</del>                            | <del>N/A</del>                            | N   |
| Mixed Hardwood | Pulpwood            | Min top – 3” (inside bark)<br>Max butt – 25” (inside bark)<br>Length: Min – 7’ – Max 8.5’  | \$74.94-<br>\$77.12                       | \$38.97-<br>\$40.10                       | Y   |
|                |                     | Min top – 4” (outside bark)<br>Max butt – 18” (outside bark)<br>Length: 8’ - 9’<br>Loads of 9’ may contain up to 20% 8’ mixed in.<br>Loads containing more than 5% rot shall be rejected | <del>\$15.94-</del><br><del>\$48.37</del> | <del>\$8.29-</del><br><del>\$25.15</del>  | N   |
|                |                     | Random Length 8’-18’ Min top 2” Max butt 24” inside  | N/A                                       | N/A                                       | N   |
| All HW Species | Low grade roundwood | Min butt dia: 3” inside bark<br>Min top dia: 2” inside the bark Min length: 7’ 6”  | \$15.05 -<br>\$52.27                      | \$7.17 -<br>\$24.89                       | Y   |

| <b>ASH</b> |                   |   |                       |                       |     |
|------------|-------------------|---|-----------------------|-----------------------|-----|
| Species    | Product           | Specifications  | Roadside (\$)         |                       | Buy |
|            |                   |   | CORDS                 | TONNES                |     |
| Ash        | Sawlogs (Prime)   | Min top – 14” Max butt: No max<br>4 clear faces Length: 7.5’ - 8.75’      | \$207.77-<br>\$226.63 | \$108.21-<br>\$118.03 | Y   |
|            | Sawlogs (Grade 1) | Min top – 14” Max butt: No max<br>2-3 clear faces Length: 7.5’ - 8.75’    | \$159.68-<br>\$178.53 | \$83.16-<br>\$92.98   | Y   |
|            | Sawlogs (Grade 2) | Min top – 14”<br>Max butt: No max<br>0-1 clear faces Length: 7.5’ - 8.75’ | \$129.61-<br>\$148.47 | \$67.51-<br>\$77.32   | Y   |

| <b>OAK</b> |                   |   |                       |                       |     |
|------------|-------------------|---|-----------------------|-----------------------|-----|
| Species    | Product           | Specifications  | Roadside (\$)         |                       | Buy |
|            |                   |   | CORDS                 | TONNES                |     |
| Oak        | Sawlogs (Prime)   | Min top – 14” Max butt: No max<br>4 clear faces Length: 7.5’ - 8.75’      | \$207.77-<br>\$226.63 | \$108.21-<br>\$118.03 | Y   |
|            | Sawlogs (Grade 1) | Min top – 14”<br>Max butt: No max<br>2-3 clear faces Length: 7.5’ - 8.75’ | \$159.68-<br>\$178.53 | \$83.16-<br>\$92.98   | Y   |
|            | Sawlogs (Grade 2) | Min top – 14”<br>Max butt: No max<br>0-1 clear faces Length: 7.5’ - 8.75’ | \$129.61-<br>\$148.47 | \$67.51-<br>\$77.32   | Y   |

| <b>MAPLE</b>       |                   |   |   |   |     |
|--------------------|-------------------|---|---|---|-----|
| Species            | Product           | Specifications  | Roadside (\$)   |   | BUY |
|                    |                   |   | CORDS   | TONNES                                    |     |
| <b>Maple</b>       | Pulpwood          | Min Top – 3” (inside bark)<br>Max butt – 22” (inside bark)<br>Preferred length 16’<br>Length: Min 8’ – Max 20’  | <del>\$42.06-</del><br><del>\$59.73</del>   | <del>\$21.91-</del><br><del>\$31.11</del> | N   |
|                    | Pulpwood          | Min top – 4” (outside bark)<br>Max butt – 18” (outside bark)<br>Length: 8’ - 9’<br>Loads of 9’ may contain up to 20% 8’ mixed in. Loads containing more than 5% rot shall be rejected | \$29.40-<br>\$61.83   | \$15.29-<br>\$32.15                       | Y   |
| <b>Sugar Maple</b> | Sawlogs (Prime)   | Min top – 14”<br>Max butt: No max<br>4 clear faces<br>Length: 7.5’ - 8.75’  | \$277.27-<br>\$296.01   | \$144.41-<br>\$154.17                     | Y   |
|                    | Sawlogs (Grade 1) | Min top – 14”<br>Max butt: No max<br>2-3 clear faces<br>Length: 7.5’ - 8.75’  | \$149.40-<br>\$168.26   | \$77.81-<br>\$87.63                       | Y   |
|                    | Sawlogs (Grade 2) | Min top – 14”<br>Max butt: No max<br>0-1 clear faces<br>Length: 7.5’ - 8.75’  | \$42.85-<br>\$61.70   | \$22.31-<br>\$32.13                       | Y   |
|                    | Sawlogs (Prime)   | Min top – 9-13”<br>Max butt: No max<br>4 clear faces<br>Length: 7.5’ - 8.75’  | \$108.42-<br>\$168.26   | \$56.46-<br>\$87.63                       | Y   |
|                    | Sawlogs (Grade 1) | Min top – 9-13”<br>Max butt: No max<br>2-3 clear faces<br>Length: 7.5’ - 8.75’  | \$74.81-<br>\$93.67   | \$38.96-<br>\$48.78                       | Y   |
|                    | Sawlogs (Grade 2) | Min top – 9-13”<br>Max butt: No max<br>0-1 clear faces<br>Length: 7.5’ - 8.75’  | \$32.19-<br>\$51.04   | \$16.76-<br>\$26.58                       | Y   |
|                    | Veneer            | Dia: Sugar maple & Birch 11”+, Oak 12” +, Length: 8’9” - 9’5” & 10’5”,<br>Must be straight and sound.stains.  | Possible pieces will be put aside to be measured by an independent certified veneer scaler. |   | Y   |
| <b>Red Maple</b>   | Sawlogs (Prime)   | Min top – 14”<br>Max butt: No max<br>4 clear faces<br>Length: 7.5’ - 8.75’  | \$53.50-<br>\$72.36   | \$27.86-<br>\$37.68                       | Y   |
|                    | Sawlogs (Grade 1) | Min top – 14” Max butt: No max<br>2-3 clear faces<br>Length: 7.5’ - 8.75’   | \$42.85-<br>\$61.70   | \$22.31-<br>\$32.13                       | Y   |
|                    | Sawlogs (Prime)   | Min top – 9-13” Max butt: No max<br>4 clear faces<br>Length: 7.5’ - 8.75’   | \$42.85-<br>\$61.70   | \$22.31-<br>\$32.13                       | Y   |
|                    | Sawlogs (Grade 1) | Min top – 9-13” Max butt: No max<br>2-3 clear faces<br>Length: 7.5’ - 8.75’   | \$32.19-<br>\$51.04   | \$16.76-<br>\$26.58                       | Y   |

| <b>BIRCH</b> |                   |  |   |                                 |     |
|--------------|-------------------|--|---|---------------------------------|-----|
| Species      | Product           | Specifications   | Roadside (\$)   |                                 | Buy |
|              |                   |  | CORDS   | TONNES                          |     |
| <b>Birch</b> | Veneer            | Dia: Sugar maple & Birch 11"+, Oak 12" +, Length: 8'9" - 9'5" & 10'5",<br>Must be straight and sound stains.   | Possible pieces will be put aside to be measured by an independent certified veneer scaler. |                                 | Y   |
|              | Sawlogs (Prime)   | Min top – 14"<br>Max butt: No max<br>4 clear faces<br>Length: 7.5' - 8.75'   | \$241.00-<br>\$271.62   | \$133.31-<br>\$143.13           | Y   |
|              | Sawlogs (Grade 1) | Min top – 14"<br>Max butt: No max<br>2-3 clear faces<br>Length: 7.5' - 8.75'   | \$122.67-<br>\$153.29   | \$72.26-<br>\$82.08             | Y   |
|              | Sawlogs (Grade 2) | Min top – 14"<br>Max butt: No max<br>0-1 clear faces<br>Length: 7.5' - 8.75'   | \$25.63-<br>\$56.25   | \$22.31-<br>\$32.13             | Y   |
|              | Sawlogs (Prime)   | Min top – 9-13"<br>Max butt: No max<br>4 clear faces<br>Length: 7.5' - 8.75'   | \$112.02-<br>\$142.64   | \$66.71-<br>\$76.53             | Y   |
|              | Sawlogs (Grade 1) | Min top – 9-13"<br>Max butt: No max<br>2-3 clear faces<br>Length: 7.5' - 8.75'   | \$47.33-<br>\$77.95   | \$33.41-<br>\$43.17             | Y   |
|              | Sawlogs (Grade 2) | Min top – 9-13"<br>Max butt: No max<br>0-1 clear faces<br>Length: 7.5' - 8.75'   | \$4.34-<br>\$34.96  | \$11.21-<br>\$21.03             | Y   |
|              | Pulpwood          | Min Top – 3" (inside bark)<br>Max butt – 22" (inside bark)<br>Preferred length 16'<br>Length: Min 8' – Max 20'   | <del>\$23.82-<br/>\$41.49</del>   | <del>\$12.41-<br/>\$21.61</del> | N   |
|              | Pulpwood          | Min top – 4" (outside bark)<br>Max butt – 18" (outside bark)<br>Length: 8' - 9'<br>Loads of 9' may contain up to 20% 8' mixed in.<br>Loads containing more than 5% rot shall be rejected | \$44.79-<br>\$77.22   | \$23.29-<br>\$40.15             | Y   |

| SPRUCE/FIR/PINE               |                   |  |  |  |     |
|-------------------------------|-------------------|--|--|--|-----|
| Species                       | Product           | Specifications   | Roadside (\$)                              |  | Buy |
|                               |                   |  | CORDS                                      | TONNES                                   |     |
| Spruce 100%                   | Saw Logs          | Min: 7",<br>Max: 20",<br>Length: 10'6", 12'6", 14'6" & 16'6"<br>Mill must view logs before delivery Mill opening June 2018   | \$150.37                                   | 86.41                                    | Y   |
|                               | Studwood          | Min top: 5" <b>outside bark</b> , Max butt: 12"<br>outside bark,<br>Length: 8'4" to 8'6"   | \$90.12-<br>\$127.59                       | \$24.86-<br>\$35.20                      | Y   |
| Spruce 90%                    | Saw Logs          | Min top dia: 5" inside bark<br>Log lengths: 10', 12' & 16' with 4" min trim 6" Max trim<br>(especially on 16')<br>Wood paid by tonne, <b>90% Spruce in loads</b>   | <del>\$106.52</del><br><del>\$123.92</del> | <del>\$61.22</del><br><del>\$71.22</del> | N   |
|                               | Saw Logs          | Min top: 6", Max butt: 20",<br>Length: 12' & 16' only, Trim allowance: 6" to 9",<br>90% accept quality, Loads must be 50% 16' logs Loads that<br>achieve quality sample results greater<br>than or equal to 90 % shall be paid a \$2.00 per tonne<br>quality bonus | \$132.37-<br>\$140.83                      | \$76.11-<br>\$80.98                      | Y   |
| Spruce 75%,<br>Balsam Fir 25% | Studwood<br>(8ft) | 4.5" min to 13" max (inside bark), Length: 99" to<br>103",<br>No rot, no forked bolts, ends cut square   | \$114.81-<br>\$118.36                      | \$60.27-<br>\$62.14                      | Y   |
|                               | Studwood<br>(9ft) | 5" min to 13" max (inside bark), Length: 108"<br>to 112",<br>No rot, no forked bolts (9-foot studs) Loads may contain up<br>to 15% 8-foot studs  | \$124.34-<br>\$127.88                      | \$65.27-<br>\$67.14                      | Y   |
|                               | Studwood          | Min top: 4",<br>Max Butt: 14",<br>Length: 8'4"<br>No soft stain, rot dead or insect damaged<br>wood. No forks or dry wood. Producers &<br>Truckers must sign declaration before<br>delivering.   | \$106.93-<br>\$137.20                      | \$56.14-<br>\$72.03                      | Y   |

| SPRUCE/FIR/PINE               |                        |  |                       |                     |     |
|-------------------------------|------------------------|--|-----------------------|---------------------|-----|
| Species                       | Product                | Specifications   | Roadside (\$)         |                     | Buy |
|                               |                        |  | CORD                  | TONNE               |     |
| <b>Spruce, Fir, Jack Pine</b> | Saw Logs               | Min top: 6", Max butt: 20",<br>Length: 12' & 16' only, Trim allowance: 6"<br>to 9", 90% accept quality, 85% of load must meet specs for<br>dia and defects.  | \$132.37-<br>\$140.83 | \$76.11-<br>\$80.98 | Y   |
|                               | Studwood<br>(8ft)      | Min top: 4.5",<br>Max: 20", Length 100" or more = 8' (unsound or red<br>stained fir will be culled)(Off-spec pieces will be<br>culled), FF Spec: Under/oversize logs/rot/forked<br>tops/butt flare,<br>Porcupine chews, pasture spruce/shake/split | \$112.72              | \$58.79             | Y   |
|                               | Studwood<br>(9ft)      | Min top: 4.5",<br>Max: 20", Length 100" or more = 9' (unsound or red<br>stained fir will be culled)(Off-spec pieces will be<br>culled), FF Spec: Under/oversize logs/rot/forked<br>tops/butt flare,<br>Porcupine chews, pastures pruce/shake/split | \$117.72              | \$61.79             | Y   |
|                               | Studwood<br>(8ft)      | 4.5" min to 13" max (inside bark), Length: 99" to<br>103",<br>No rot, no forked bolts<br>Loads may contain up to 20% 8-foot studs  | \$114.81-<br>\$118.36 | \$60.27-<br>\$62.14 | Y   |
|                               | Studwood<br>(9ft)      | 5" min to 13" max (inside bark), Length: 108"<br>to 112",<br>No rot, no forked bolts, ends cut square  | \$124.34-<br>\$127.88 | \$65.27-<br>\$67.14 | Y   |
|                               | Pulpwood               | Min top: 3.5"<br>Max Diameter: 25"<br>Length: 96" to 106" MAX<br>Loads with wood over 106" will be rejected.   | \$60.90-<br>\$64.80   | \$33.80-<br>\$35.96 | Y   |
|                               | Pulpwood               | Min" 3.5",<br>Max: 20",<br>Length: 8' not less than 96"  | \$36.36-<br>\$50.52   | \$20.18-<br>\$28.04 | Y   |
| <b>All softwood species</b>   | Low grade<br>roundwood | Min butt dia: 3" inside bark<br>Min top dia: 2" inside the bark Min length: 7' 6"  | \$15.05 -<br>\$52.27  | \$7.17 -<br>\$24.89 | Y   |
| <b>100% Fir</b>               | Studwood               | Min top: 5" <b>outside bark</b> , Max butt: 12"<br>outside bark, Length: 8'4" to 8'6"<br>Spruce and Fir must be sorted on load. Wood must be<br>straight. No White Spruce  | \$77.11-<br>\$114.58  | \$21.27-<br>\$31.61 | Y   |

| CEDAR   |             |   |                       |                       |     |
|---------|-------------|---|-----------------------|-----------------------|-----|
| Species | Product     | Specifications  | Roadside (\$)         |                       | Buy |
|         |             |   | CORD                  | TONNE                 |     |
| Cedar   | Tree Length | Min top: 4" inside bark,<br>Min butt: 6" inside bark, Min Length: 10'             | \$73.30-<br>\$110.77  | \$56.07-<br>\$84.74   | Y   |
|         | Saw Logs    | Min top: 6", Max butt: None,<br>Length: 10', 12' (6" trim on all lengths)         | \$189.36-<br>\$214.84 | \$144.88-<br>\$164.37 | Y   |
|         | Studwood    | Min top: 6" Max butt: None<br>Length: 10'6"                                       | \$175.90-<br>\$199.90 |                       | Y   |
|         | Studwood    | Min top: 5" Max butt: None<br>Length 8'6"   | \$135.90-<br>\$159.90 |                       | Y   |
|         | Studwood    | Min top: 6", Max butt: None,<br>Length: 8' (6" trim on all lengths)               | \$109.36-<br>\$134.84 | \$41.44-<br>\$52.74   | Y   |
|         | Studwood    | Length: 8',<br>Min top: 4.5",<br>Max butt: 10", straight, No rot, no flared butts | \$86.62-<br>\$118.47  |                       | Y   |
|         | Studwood    | Length: 6',<br>Min top: 4",<br>Max butt: 10", straight, No rot, no flared butts   | \$81.62-<br>\$113.47  |                       | Y   |
|         | Fence Rail  | Min top 4.5", Max top 6"<br>Length: 10'6" no butt flare                           | \$119.49-<br>\$143.49 |                       | Y   |

| HEMLOCK/TAMARACK/WHITE PINE/RED PINE |             |  |                       |                              |     |
|--------------------------------------|-------------|--|-----------------------|------------------------------|-----|
| Species                              | Product     | Specifications   | Roadside (\$)         |                              | Buy |
|                                      |             |  | CORDS                 | MFBM                         |     |
| White Pine                           | Saw Logs    | Min top: 10", Length 16', 6" trim allowance.   | \$125.29-<br>\$152.25 | \$305.67-<br>\$371.42        | Y   |
|                                      |             | Min top: 10", Length: 12" & 14' (6" trim allowance.)   | \$110.95-<br>\$137.90 | \$270.67-<br>\$336.42        | Y   |
|                                      |             | Min top: 8", Length: 10', 12", 14' & 16' (6" trim allowance.)  | \$61.76-<br>\$88.71   | \$150.67-<br>\$216.42        | Y   |
|                                      |             | Min top: 6", Length: 10', 12", 14' & 16' (6" trim allowance.)  | \$6.42-<br>\$39.52    | \$15.67-<br>\$96.42          | Y   |
|                                      |             | Min top: 8", Length: 10' – 16' (6" trim allowance.) <b>12' lengths preferred</b>                                 | \$129.92-<br>\$159.25 | \$316.94-<br>\$388.50        | Y   |
|                                      |             | Min top: 8", Length: 10' – 16' (6" trim allowance.) <b>12' lengths preferred</b><br><b>Grade 1 with defects.</b> | \$93.02-<br>\$122.35  | \$226.94-<br>\$298.50        | Y   |
|                                      |             | Min top: 8", Length: 8' (6" trim allowance.)   | \$47.94-<br>\$77.27   | \$116.94-<br>\$188.50        | Y   |
|                                      | Pulpwood    | Min top: 3.5"<br>Max Diameter: 25"<br>Length: 96" to 106" MAX<br>Loads with wood over 106" will be rejected.     | \$60.90-<br>\$64.80   | \$33.80-<br>\$35.96<br>Tonne | Y   |
|                                      | Pulpwood    | Min" 3.5", Max: 20",<br>Length: 8' not less than 96"   | \$0-\$25.30           | \$0-\$14.04<br>Tonne         | Y   |
| Hemlock                              | Saw Logs    | Min Top: 9" – Max Top 36"<br>Length: 10', 12', 14', 16' with 6" trim   | \$83.70-<br>\$96.48   | \$222.66-<br>\$256.66        | Y   |
|                                      |             | Straight, minimal crook<br>7" top knots cut off flush to bowl No flare butts min shake and rot                   | \$89.01-<br>\$105.25  | \$236.78-<br>\$279.98        | Y   |
|                                      |             | Min: 8", Max: 20",<br>Length: 10'6", 12'6", 14'6" & 16'6"  | \$103.38              | \$275.00                     | Y   |
|                                      | Pulpwood    | Min top: 3.5"<br>Max Diameter: 25"<br>Length: 96" to 106" MAX<br>Loads with wood over 106" will be rejected.     | \$60.90-<br>\$64.80   | \$33.80-<br>\$35.96<br>Tonne | Y   |
| Tamarack                             | Saw Logs    | Min: 8", Max: 20",<br>Length: 10'6", 12'6", 14'6" & 16'6"  | \$103.38              | \$275.00                     | Y   |
|                                      | Studwood    | Min: 7", Max: 20",<br>Length: 99" – 102" MAX   | \$52.87-<br>\$72.57   | \$52.87-<br>\$72.57          | Y   |
|                                      | Pulpwood    | Min top: 3.5"<br>Max Diameter: 25"<br>Length: 96" to 106" MAX<br>Loads with wood over 106" will be rejected.     | \$60.90-<br>\$64.80   | \$33.80-<br>\$35.96<br>Tonne | Y   |
|                                      | Pulpwood    | Min" 3.5", Max: 20",<br>Length: 8' not less than 96"   | \$0-\$25.30           | \$0-\$14.04<br>Tonne         | Y   |
| Red Pine                             | Logs        | Min Top: 9" – Max Top 36"<br>Length: 10', 12', 14', 16' with 6" trim   | \$83.70-<br>\$96.48   | \$222.66-<br>\$256.66        | Y   |
|                                      | Studwood    | Min. Top: 6" <b>Max. Butt 10"</b><br>Length" 8'4"  | \$64.55-<br>\$78.35   |                              | Y   |
|                                      | Fence Posts | <b>Min. Top: 4.5" – Max Butt 7.5"</b><br><b>Length: 12'4" &amp; 14'4"</b>  | \$48.96-<br>\$64.72   |                              | Y   |

**PRICES SUBJECT TO CHANGE**